




*Rigid frame screen*

**Gemini**

*Full Vision*



# **Gemini Full Vision**

**Base from 160cm to 700cm**

**Base from 160 cm to 800 cm**

GEMINI rigid frame screens can reach the base from 160 cm to 700 cm in the 4: 3 and 16:10 format, while they reach the base of 800 cm in the 16: 9 and 21: 9 format.

They are professional screens with finishes that meet the highest quality standards, specially designed for fixed installations, where the main need is to have an essential and clean screen, without the presence of frames or other elements that interrupt the harmony of the environment. in which it is inserted.

**The aluminum frame section mm. 70 × 20 is totally wrapped and hidden by the canvas, which is fixed on the back of the frame itself by means of torsion springs.**


This exclusive system is very simple, practical and fast; in addition, the torsion springs guarantee durability and constant tensioning of the fabric, even in environments with variable temperatures.

The sides of the frame are simply assembled with the brackets at the corners and can be divided into several parts to facilitate transport and storage of the screen when it is disassembled.


Gemini Full Vision screens are supplied with special retractable brackets for wall mounting and are available with a wide choice of canvases.

# Gemini Full Vision details

## Wall fixing



Frame hidden by the canvas that is fixed on the back with torsion springs





## Different canvases available

### WHITE

PVC canvas with matt white front and glossy white back, for universal use. Excellent flatness, good brightness and wide viewing angle, no hot spot effect, perfect light distribution and color uniformity. Weldable without overlap, flame retardant, cadmium free, washable

### WHITE HI GAIN

PVC canvas with matt white front and glossy black back. Excellent flatness, good brightness and wide viewing angle, no hot spot effect, perfect light distribution and color uniformity. The black back is the ideal solution for environments where you cannot have total control of the ambient light. In particular, it acts as a shield in the event that there are light sources on the back of the screen that could cause interference with the quality of the projection itself. Weldable without overlap, flame retardant, cadmium free, washable.

### HIGH CONTRAST GRAY

PVC canvas with matt gray front and glossy gray back. Excellent flatness, high contrast and wide viewing angle, no hot spot effect, perfect light distribution and color uniformity. The special gray surface guarantees high contrast and color rendering. Weldable without overlap, flame retardant, cadmium free, washable.



## MEASUREMENTS AND DIMENSIONS

FORMATO	UTILE PROIEZIONE	INGOMBRO TOTALE	IMBALLO	PESO NETTO	PESO LORDO
4:3	160x120	160x120	193x15x17	11	14
4:3	200x150	200x150	233x15x17	13	16
4:3	250x190	250x190	283x15x17	17	20
4:3	300x225	300x225	333x15x17	22	27
4:3	350x265	350x265	383x15x17	25	30
4:3	400x300	400x300	333x22x22	29	34
4:3	450x338	450x338	360x22x22	34	39
4:3	500x375	500x375	408x22x22	39	45
4:3	550x413	550x413	435x22x22	48	55
4:3	600x450	600x450	483x22x22	58	65
4:3	650x488	650x488	440x22x22	60	68
4:3	700x525	700x525	470x22x22	63	70
16:9	160x90	160x90	193x15x17	11	14
16:9	200x113	200x113	233x15x17	13	16
16:9	250x140	250x140	280x15x17	17	20
16:9	300x169	300x169	333x15x17	22	27
16:9	350x197	350x197	383x15x15	25	30
16:9	400x225	400x225	283x22x22	29	34
16:9	450x253	450x253	300x22x22	34	39
16:9	500x281	500x281	333x22x22	39	45
16:9	550x310	550x310	350x22x22	48	55
16:9	600x338	600x338	383x22x22	58	65
16:9	650x366	650x366	440x22x22	60	68
16:9	700x394	700x394	470x22x22	63	70
16:9	750x422	750x422	490x22x22	68	78
16:9	800x450	800x450	510x22x22	75	85



## MEASUREMENTS AND DIMENSIONS

FORMATO	UTILE PROIEZIONE	INGOMBRO TOTALE	IMBALLO	PESO NETTO	PESO LORDO
16:10	160x100	160x100	193x15x17	11	14
16:10	200x125	200x125	233x15x17	13	16
16:10	250x156	250x156	283x15x17	17	20
16:10	300x188	300x188	333x15x17	22	27
16:10	350x219	350x219	383x15x17	25	30
16:10	400x250	400x250	333x22x22	29	34
16:10	450x281	450x281	360x22x22	34	39
16:10	500x313	500x313	408x22x22	39	45
16:10	550x344	550x344	435x22x22	48	55
16:10	600x375	600x375	483x22x22	58	65
16:10	650x406	650x406	440x22x22	60	68
16:10	700x438	700x438	470x22x22	63	70
21:9	160x69	160x69	193x15x17	11	14
21:9	200x86	200x86	233x15x17	13	16
21:9	250x107	250x107	280x15x17	17	20
21:9	300x129	300x129	333x15x17	22	27
21:9	350x150	350x150	383x15x15	25	30
21:9	400x171	400x171	283x22x22	29	34
21:9	450x193	450x193	300x22x22	34	39
21:9	500x214	500x214	333x22x22	39	45
21:9	550x238	550x238	350x22x22	48	55
21:9	600x257	600x257	383x22x22	58	65
21:9	650x279	650x279	440x22x22	60	68
21:9	700x300	700x300	470x22x22	63	70
21:9	750x321	750x321	490x22x22	68	78
21:9	800x343	800x343	510x22x22	75	85

**THANK YOU**

**SOPAR**



**SO.PAR**

Via dell'agricoltura 6/8 - 25032 Chiari (BS) - Italy  
Tel./Phone: +39 030 7002035 - Fax: +39 030 7000744  
P.IVA: 00634780985  
[www.sopar.it](http://www.sopar.it)  
[commerciale@sopar.it](mailto:commerciale@sopar.it)